



# KERALA GAZETTE

## കേരള ഗസറ്റ്

PUBLISHED BY AUTHORITY

ആധികാരികമായി പ്രസിദ്ധപ്പെടുത്തുന്നത്

Vol. II വാല്യം 2	THIRUVANANTHAPURAM, TUESDAY തിരുവനന്തപുരം, ചൊവ്വ	22nd January 2013 2013 ജനുവരി 22	No. നമ്പർ	4
		2nd Magha 1934 1934 മാഘം 2		

### PART III

## Stores Purchase

#### Stationery Department

#### TENDER NOTICE

No. 14864/B2/2012/Sty. 27th December 2012.

Sealed competitive tenders are invited from manufacturing Mills for the supply of the following varieties of paper and pulp board for printing text books 2013-14.

Sl. No.	Tender No. and Details of Items	Quantity
1	124 /2012-13—Maplitho Paper 70g/m <sup>2</sup> in 86 cm width reel, 1 meter diameter with 7.6 to 7.8 cm. core diameter, 80% brightness (Minimum), white shade for printing text books in the High Speed Harris Web Offset machine/Oriental Excel web machine (36000 impressions per hour). The reel should be free from joints, uneven windings and damage. The core should be strong. (IS: 1848/2007).	2608 tonne
2	125/2012-13—Maplitho Paper 70g/m <sup>2</sup> in 60 cm. width reel, 1 meter diameter with 7.6 to 7.8 cm core diameter, 80%	1595 tonne

brightness (Minimum), white shade. The reel should be free from joints, uneven windings and damage. The core should be strong.

(IS: 1848/2007).

- |   |  |           |
|---|--|-----------|
| 3 | 126/2012-13—Maplitho Paper 70g/m <sup>2</sup> in 30 cm width reel, 1 meter diameter with 7.6 to 7.8 cm. core diameter, 80 % brightness (Minimum), white shade. The reel should be free from joints, uneven windings and damage. The core should be strong.<br>(IS: 1848/2007). | 21 tonne  |
| 4 | 127/2012-13—White pulp board in 61× 90cm. × 200 g/m <sup>2</sup> (54.9 kg per ream of 500 sheets) One side machine glazed. 72% brightness (minimum).<br>IS: 4664/1986.   | 671 tonne |

Cost of tender form—` 26,250 each for Tender No. 124/12-13, 125/12-13, 127/12-13 (` 13,125 each for copy) ` 1,680 for Tender No. 126/12-13 (` 840 for copy).

Date and time of sale of tender form— 30-1-2013 upto 4 p. m.

Date and time for receipt of tenders— 31-1-2013, 3 p. m.

Date and time of opening of tenders— 31-1-2013, 4 p. m.

**Rate:**—Maplitho paper and white pulp board and required exclusively for printing school text books. Certificate for availing exemption, if applicable, in payment of excise duty, will be issued by the department. Rate should be quoted accordingly.

#### *General requirements for Maplitho paper*

Paper shall be made from chemical and wood free pulp only. No waste paper and or Mechanical pulp shall be used. The firm shall take care of process control so that paper shall be free from static charges at the time of printing.

1. Intending tenderers may on application to the Controller of Stationery, Kerala, Thiruvananthapuram-695 033 obtain the requisite tender forms on which the tenders are to be submitted.
2. Cost of tender forms will be accepted either in cash (remittance in office) or by money order which should be sent to the Controller of Stationery, Vikas Bhavan P.O., Thiruvananthapuram-695 033. (Name of the Officer should not be mentioned). Cheques, Postage Stamps and Demand Drafts will not be accepted towards the cost of tender forms nor the tender forms be sent by VPP. The cost of tender forms are not refundable under any circumstances. The tender number and the name of the item for which the tender form is required should be clearly specified in the application/M.O. Coupon. The tender forms are not transferable.
3. The cover containing the tender shall be appropriately superscribed with the tender number and item (separate cover for each tender) and addressed to the Controller of Stationery, Vikas Bhavan P. O., Thiruvananthapuram-695 033. Late tenders will not be accepted. The tenders will be opened in the presence of the tenderers or their authorised representatives who may be present at the time of opening of the tenders.
4. Every tenderer shall send along with his tender a preliminary agreement executed on a Kerala Stamp Paper worth ` 100 and furnish 1% of the total cost of materials as Earnest Money Deposit. Earnest Money Deposit will be accepted in Cash, Demand Draft or FDR taken in favour of Controller of Stationery with due endorsement. No tenderer shall be exempted from furnishing Earnest Money

Deposit/Security Deposit vide G. O. (P) No. 448/05/Fin dated 13-10-2005. Tenders without EMD, Samples will be rejected outright.

5. As the Maplitho reel paper is for printing text books at Kerala Books and Publications Society, Kochi, the intending tenderers should send one each sample reel of Maplitho paper 70gsm in 86 cm. width reel, in 60 cm width reel, and in 30 cm width reel to the Managing Director, Kerala Books and Publications Society, Kochi on or before 4 p. m. on 31-1-2013 for testing the printability and General Performance of the reel paper, 86 cm reel should be suitable for printing text books in the High Speed Harris Web Offset Machine/Oriental Xcel Web Machine (36000 impressions per hour). The sample reels received after the stipulated time will not be accepted. The rate should be quoted for free delivery at Kerala Books and Publications Society, Kochi.
6. A specimen of Preliminary agreement deed is appended to the tender form. Tenders received without the Agreement deed, Earnest Money Deposit and samples will be rejected outright.
7. Other things being equal, preference will be given to goods with ISI certification mark and in the absence of certification mark, products conforming to IS specification. Where uncertified goods are supplied by the seller with a conformity of relevant Indian Standards, it is his responsibility to produce a certificate of conformity from the Bureau of Indian Standards or any other test house recognized by the BIS. Offer for articles with ISI Mark should be accompanied by a duly attested copy of the latest valid license issued by the BIS for manufacture of the articles with I.S.I. Mark.
8. Packing of the reel paper and pulp board shall be done as follows: *Maplitho Paper (Reel)*
  - (a) The paper shall be rolled on a core of 76 to 78 mm inside diameter and with a minimum wall thickness of 10mm and of suitable length corresponding to width of paper to withstand transit hazard, reel weight and retain its shape. The core ends shall be protected by inserting well fittings wooden plugs (or plugs of any hard materials) extending to about 75mm in to core at both ends. The core ends shall be protected by inserting well fitted wooden plugs or plugs of any hard materials extended to about 15mm in to core at both ends.
  - (b) Number of joints in reel shall not be more than three and joints shall be well gum taped with proper identification mark.
  - (c) No paper cutting or strips shall come inside the reel of paper layer.

White Pulp Board

- (a) The packing of board shall be done so as to ensure that sheets and its edges are not damaged during transportation and paper remains flat in reams. Folded sheets shall not be accepted.
- (b) The number of sheets in a packet shall be 100 or 150 sheet.
9. Supply of printing paper / pulp board should be started within 15 days from the date of receipt of supply order and should be completed in 2-6 months as per the schedule of materials of the tender (subject to amendments).
10. Invoices of payment claiming the cost of pulp board/paper supplied to KBPS should be forwarded to the Text Book Officer after getting the Stock Entry Certificate of the concerned Store Keeper so as to arrange the payment.
11. Invoices for payment will not be accepted for part supplies in small quantities unless a minimum 500 tonne reel paper and 150 tonne pulp board is supplied in each lot.
12. Payment will be made on submission of invoices to the concerned after completing all the formalities and satisfying the conditions 10-11 of the bid.
13. Payment will be made only for the net weight of the usable paper, ie. excluding the weight of the packing materials, side cups and central core pipe etc.
14. Those mills who can keep the schedule issued by the department need only offer the rates. All participants should mention the quantity that can be supplied per month very specifically.

Further details, if any, can be had from the office of the undersigned during office time.

2013-14 അദ്ധ്യായന വർഷത്തേക്ക് പാഠപുസ്തകങ്ങൾ അച്ചടിക്കുന്നതിനായി താഴെ പറയുന്ന തരത്തിലുള്ള വിവിധതരം കടലാസ്, പൾപ്പ് ബോർഡ് എന്നിവ വിതരണം ചെയ്യുന്നതിലേക്ക് പേപ്പർ മില്ലുകളിൽ നിന്നും മുദ്രവച്ച ദർഘാസുകൾ ക്ഷണിച്ചുകൊള്ളുന്നു.

ക്രമ നമ്പർ	ദർഘാസ് നമ്പരും ഇനവിവരവും	അളവ്
(1)	(2)	(3)
1	124/2012-13—മാപ് ലിത്തോ കടലാസ് 70 ജി. എസ്. എം. 80% ബ്രെറ്റ്സ് 86 സെ. മീ. വീതിയുള്ള റീൽ, 1 മീ. ഡയമീറ്റർ 7.6-7.8 സെ. മീ. കോർ ഡയമീറ്റർ വെള്ള ഷെയ്ഡ്, ക്രമാതീതമായ കുട്ടിച്ചേർക്കലുകളോ കേടുപാടുകളോ വരാൻ പാടില്ല. (ഐ. എസ്. 1848/2007 അനുസരിച്ചുള്ളവ)	2608 ടൺ

(1)	(2)	(3)
2	125/2012-13—മാപ് ലിത്തോ കടലാസ് 70 ജി. എസ്. എം. 80% ബ്രെറ്റ്സ് 60 സെ. മീ. വീതിയുള്ള റീൽ, 1 മീ. ഡയമീറ്റർ 7.6-7.8 സെ. മീ. കോർ ഡയമീറ്റർ, വെള്ള ഷെയ്ഡ്, ക്രമാതീതമായ കുട്ടിച്ചേർക്കലുകളോ, കേടുപാടുകളോ വരാൻ പാടില്ല. (ഐ. എസ്. 1848/2007 അനുസരിച്ചുള്ളവ)	1595 ടൺ
3	126/2012-13—മാപ് ലിത്തോ കടലാസ് 70 ജി. എസ്. എം. 80% ബ്രെറ്റ്സ് 30 സെ. മീ. വീതിയുള്ള റീൽ, 1 മീ. ഡയമീറ്റർ 7.6-7.8 സെ. മീ. കോർ ഡയമീറ്റർ, വെള്ള ഷെയ്ഡ്, ക്രമാതീതമായ കുട്ടിച്ചേർക്കലുകളോ, കേടുപാടുകളോ വരാൻ പാടില്ല. (ഐ. എസ്. 1848/2007 അനുസരിച്ചുള്ളവ)	21 ടൺ
4	127/2012-13—വെള്ള പൾപ്പ് ബോർഡ് 61 x 90 സെ. മീ. x 200 ജി. എസ്. എം. (500 ഷീറ്റുകളുള്ള 54.9 കി. ഗ്രാം തൂക്കം വരുന്ന റീം) 72% ബ്രെറ്റ്സ്. (ഐ. എസ്. 4664/1986 അനുസരിച്ചുള്ളവ)	671 ടൺ

ദർഘാസ് ഫോറത്തിന്റെ വില :

അസ്സൽ—ദർഘാസ് നമ്പർ 124/2012-13, 125/2012-13, 127/2012-13 ഇവയ്ക്ക് ` 26,250, ദർഘാസ് നമ്പർ 126/2012-13-ന് ` 1,680.

പകർപ്പ്—ദർഘാസ് നമ്പർ 124/2012-13, 125/2012-13, 127/2012-13 ഇവയ്ക്ക് ` 13,125, ദർഘാസ് നമ്പർ 126/2012-13-ന് ` 840.

ദർഘാസ് ഫോറം ലഭിക്കേണ്ട അവസാന തീയതിയും സമയവും—31-1-2013, 3 മണി.

ദർഘാസ് തുറക്കുന്ന തീയതിയും സമയവും—31-1-2013, 4 മണി.

ദർഘാസ് അടക്കം ചെയ്ത കവറിന് ഏറ്റവും മുകളിലായി ദർഘാസ് നമ്പരും സാധനത്തിന്റെ പേരും എഴുതി സ്റ്റേഷനറി കൺട്രോളർ, തിരുവനന്തപുരം-695 033 എന്ന മേൽവിലാസത്തിലാണ് ദർഘാസുകൾ അയയ്ക്കേണ്ടത്. ഓരോ ദർഘാസും പ്രത്യേകം പ്രത്യേകം കവറിൽ നൽകേണ്ടതാണ്. താമസിച്ച് ലഭിക്കുന്ന ദർഘാസുകൾ സ്വീകരിക്കുന്നതല്ല. ദർഘാസുകൾ സന്നിഹിതരായിരിക്കുന്ന ദർഘാസുകാരോടോ അല്ലെങ്കിൽ അവർ ചുമതലപ്പെടുത്തിയ പ്രതിനിധികളോടോ സാന്നിധ്യത്തിൽ തുറക്കുന്നതാണ്. ദർഘാസ് നൽകാൻ താല്പര്യമുള്ളവർ സ്റ്റേഷനറി കൺട്രോളർ, തിരുവനന്തപുരം-695 033 എന്ന വിലാസത്തിൽ അപേക്ഷ നൽകി നിശ്ചിത ദർഘാസ് ഫോറം കരസ്ഥമാക്കാവുന്നതാണ് നിശ്ചിത ഫോറത്തിലായിരിക്കണം ദർഘാസുകൾ നൽകേണ്ടത്. ഏത് ദർഘാസിനും ഇനത്തിനും വേണ്ടിയുള്ള

ഫോറമാണ് വേണ്ടതെന്ന് അപേക്ഷയിൽ വ്യക്തമായി സൂചിപ്പിച്ചിരിക്കണം. ദർഘാസ് ഫോറത്തിനുള്ള അപേക്ഷയോടൊപ്പം ഫോറത്തിന്റെ വില അടയ്ക്കേണ്ടതാണ്. ദർഘാസ് ഫോറത്തിനായി അടയ്ക്കുന്ന തുക യാതൊരു കാരണവശാലും മടക്കി നൽകുന്നതല്ല. ദർഘാസ് ഫോറത്തിന്റെ വിൽപ്പന 30-1 - 2 0 1 3 , 4 മണിക്ക് അവസാനിക്കുന്നതാണ്. ദർഘാസ് ഫോറത്തിന്റെ വില പണമായോ മണിയോർഡറായോ മാത്രമേ സ്വീകരിക്കുകയുള്ളൂ. മണിയോർഡർ സ്റ്റേഷനറി കൺട്രോളർ, തിരുവനന്തപുരം-695 033 എന്ന മേൽ വിലാസത്തിൽ വേണം അയയ്ക്കേണ്ടത് (പേര് വയ്ക്കാൻ പാടില്ല). ചെക്ക്, ഡിമാന്റ് ഡ്രാഫ്റ്റ്, പോസ്റ്റേജ് സ്റ്റാമ്പ് എന്നിവ ദർഘാസ് ഫോറത്തിന്റെ വിലയായി സ്വീകരിക്കുന്നതല്ല.

പാറപുസ്തകം അച്ചടിക്കായാണ് കടലാസും പൾപ്ബോർഡും വാങ്ങുന്നത്. എക്സൈസ് തീരുവ ഇളവ് ലഭിക്കുന്ന മില്ലുകൾക്ക് എക്സൈസ് തീരുവ ഒഴിവാക്കുന്നതിന്/ ഇളവുലഭിക്കുന്നതിന് വേണ്ട സർട്ടിഫിക്കറ്റ് വകുപ്പിൽ നിന്നും നൽകുന്നതാണ്. ഇതുകൂടി കണക്കിലെടുത്തുവേണം നിരക്ക് നൽകേണ്ടത്. റീൽപേപ്പറിന് നിരക്ക് നൽകുന്നവർ റീൽ പേപ്പറിന്റെ ഗുണനിലവാരം ടെസ്റ്റ് ചെയ്യുന്നതിന് ഓരോ സാമ്പിൾ റീൽ 31-1-2013, 4 മണിക്ക് മുമ്പായി മാനേജിംഗ് ഡയറക്ടർ, കേരള ബുക്സ് ആന്റ് പബ്ലിക്കേഷൻ സൊസൈറ്റി, കാക്കനാട് (പി. ഒ.), കൊച്ചി-682 030 എന്ന വിലാസത്തിൽ എത്തിക്കേണ്ടതാണ്. നിശ്ചിത സമയം കഴിഞ്ഞ് ലഭിക്കുന്ന സാമ്പിൾ റീലുകൾ സ്വീകരിക്കുന്നതോ ടെസ്റ്റ് ചെയ്യുന്നതോ അല്ല.

SPECIFICATIONS FOR MAPLITHO PAPER

<i>Sl. No.</i>	<i>Property</i>	
1	Substance g/m <sup>2</sup>	70
2	Brightness %	80 (minimum)
3	Tensile Index Nm/g	CD-20 (minimum) MD-30 (minimum)
4	Tear Index Nm <sup>2</sup> /g	CD-4 (minimum) MD-3.5 (minimum)
5	Opacity %	80 (minimum)
6	Cobb <sub>60</sub>	25 (maximum)
7	Wax pick	No pick on 10A
8	Smoothness (Bendtsen) m1/mm	280 (maximum)
9	Double fold	CD-10 (minimum) MD-15 (minimum)
10	Shade	White

SPECIFICATIONS FOR WHITE PULP BOARD

<i>Sl. No.</i>	<i>Property</i>	
1	Substance g/m <sup>2</sup>	200
2	Brightness %	72 (minimum)

(Sd.)  
 Thiruvananthapuram.                      *Controller of Stationery.*